

2015

Sparsity techniques in medical imaging

R. Fang

T. Chen

D. Metaxas

P. Sanelli

Zucker School of Medicine at Hofstra/Northwell

S. Zhang

Follow this and additional works at: <https://academicworks.medicine.hofstra.edu/publications>



Part of the [Radiology Commons](#)

Recommended Citation

Fang R, Chen T, Metaxas D, Sanelli P, Zhang S. Sparsity techniques in medical imaging. . 2015 Jan 01; 46(Pt 1):Article 1953 [p.]. Available from: <https://academicworks.medicine.hofstra.edu/publications/1953>. Free full text article.

This Article is brought to you for free and open access by Donald and Barbara Zucker School of Medicine Academic Works. It has been accepted for inclusion in Journal Articles by an authorized administrator of Donald and Barbara Zucker School of Medicine Academic Works. For more information, please contact academicworks@hofstra.edu.



HHS Public Access

Author manuscript

Comput Med Imaging Graph. Author manuscript; available in PMC 2016 May 24.

Published in final edited form as:

Comput Med Imaging Graph. 2015 December ; 46(Pt 1): 1. doi:10.1016/j.compmedimag.2015.07.002.

Sparsity techniques in medical imaging

Ruogu Fang*,

Florida International University, United States

Tsuhan Chen,

Cornell University, United States

Dimitris Metaxas,

Rutgers University, United States

Pina Sanelli, and

North Shore LIJ, United States

Shaoting Zhang

University of North Carolina at Charlotte, United States

With the advent of the age for big data and complex structure, sparsity has been an important modeling tool in compressed sensing, machine learning, image processing, neuroscience and statistics. In the medical imaging field, sparsity methods have been successfully used in image reconstruction, image enhancement, image segmentation, anomaly detection, disease classification, and image database retrieval. Developing more powerful sparsity models for a large range of medical imaging and medical image analysis problems as well as efficient optimization and learning algorithm will keep being a main research topic in this field. The goal of this special issue is to publish original and high quality papers on innovation research and development in medical imaging and medical image analysis using sparsity techniques. This special issue will help advance the scientific research within the field of sparsity methods for medical imaging.

This special issue is composed of nine high quality research articles that are selected from over 20 submissions based on rigorous peer reviews. These papers cover a broad spectrum of research topics in medical imaging and medical image analysis, including image registration, segmentation, reconstruction, estimation, modeling, classification and visualization.

Specifically, Belilovsky et al. in collaborative research among Centrale Supélec, Inria Saclay, Research Center Athena, Stony Brook University, Mount Sinai and MIT have proposed the k-support norm to predictively model fMRI data for both classification and regression tasks. Chen and Srinivas from Ventana Medical System have developed a stain unmixing algorithm for brightfield multiplex immunohistochemistry (IHC) images using a group sparsity model. Xu et al in a collaborative efforts among Nanjing University of Information Science and Technology, Rutgers Cancer Institute of New Jersey, University of

*Corresponding author. Tel: +1 3053487982. ; Email: rfang@cs.fiu.edu (R. Fang)

Pennsylvania and Case Western Reserve University have developed an unsupervised sparse non-negative matrix factorization (SNMR) approach for color unmixing in digital pathology image analysis. Deshpande, Maurel and Barillot from University of Rennes, INSERM, CNRS and Inria have developed an adaptive dictionary learning method to automatically classify multiple sclerosis (MS) lesions in MR images. Zheng et al. in collaborative research between University of Pennsylvania, Shandong University of Traditional Chinese Medicine and Dalian University of Technology have proposed a model to treat the intensity's temporal variation as "corruptions" with L1 and Lorentzian norms for accurate registration of dynamic contrast-enhanced (DCE) MR breast images. Neubert et al. from University of Queensland, SCIRO and University Hospital Heidelberg have integrated the traditional statistical shape models with the sparse shape composition to accurately describe anomalous deformations for 3D segmentation and intervertebral disc classification. Fang, Jiang and Huang from Florida International University and University of Texas at Arlington have proposed a tissue-specific model to robustly estimate the perfusion parameters in the low-dose CT perfusion. Zhou et al. in collaborative research among University of Maryland, Rutgers University and University of Texas at Arlington have developed a framework to automatically comprise the right lung segmentation using a robust, atlas-based active volume model with a sparse shape composition prior. Wang et al. from Hebei University, Peking Union Medical College Hospital and Shanghai Jiaotong University have developed a sparse group composition approach to incorporate the spatial constraints from multiple shapes in left ventricular (LV) epicardium segmentation.

We believe that these articles reflect the most recent research advances of sparsity techniques in medical imaging, with clear demonstration of methodological novelty and power in clinical applications.

We would like to thank the Editors-in-Chief Stephen Wong for their help and assistance in the process of paper submission, review and decision. We also appreciate all the reviewers for providing high quality and constructive reviews.