

2020

## Reply to letter to the editor regarding New York's COVID-19 shelter-in-place and acute appendicitis in children

C. ... Kvasnovsky

*Northwell Health*, ckvasnovsky@northwell.edu

Y. Shi

B. Rich

*Zucker School of Medicine at Hofstra/Northwell*, brich@northwell.edu

R. D. Glick

*Zucker School of Medicine at Hofstra/Northwell*, rglick@northwell.edu

S. Z. Soffer

*Zucker School of Medicine at Hofstra/Northwell*, ssoffer@northwell.edu

*See next page for additional authors*

Follow this and additional works at: <https://academicworks.medicine.hofstra.edu/articles>

 Part of the [Surgery Commons](#)

---

### Recommended Citation

Kvasnovsky C., Shi Y, Rich B, Glick RD, Soffer SZ, Lipskar AM, Dolgin S, Bagrodia N, Prince JM, Sathya C, . Reply to letter to the editor regarding New York's COVID-19 shelter-in-place and acute appendicitis in children. . 2020 Jan 01; ():Article 7053 [ p.]. Available from: <https://academicworks.medicine.hofstra.edu/articles/7053>. Free full text article.

This Article is brought to you for free and open access by Donald and Barbara Zucker School of Medicine Academic Works. It has been accepted for inclusion in Journal Articles by an authorized administrator of Donald and Barbara Zucker School of Medicine Academic Works. For more information, please contact [academicworks@hofstra.edu](mailto:academicworks@hofstra.edu).

---

**Authors**

C. ... Kvasnovsky, Y. Shi, B. Rich, R. D. Glick, S. Z. Soffer, A. M. Lipskar, S. Dolgin, N. Bagrodia, J. M. Prince, C. Sathya, and +2 additional authors



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.



Contents lists available at ScienceDirect

Journal of Pediatric Surgery

journal homepage: [www.elsevier.com/locate/jped surg](http://www.elsevier.com/locate/jped surg)

## Reply to letter to the editor regarding New York's COVID-19 shelter-in-place and acute appendicitis in children

Dear Editor,

Thank you to Dr. Hassoun and colleagues [1] for their comments on our manuscript [2]. The varying experiences across the New York area during the peak of the COVID-19 pandemic in our region highlight how differences in access to care, transfers within and across hospital networks, and rates of the disease within neighborhoods make it difficult to track cases and efficiently allocate resources.

During the height of the pandemic in New York, our pediatric ER expanded its criteria to accommodate all patients more than 30 years of age presenting with any disease process to help offload the burden of the adult hospital. Given this, and the hospital-wide shifts in care delivery, we are unable to compare our volumes during the pandemic to prior years.

Further, we would hesitate to extrapolate our experience at Cohen's during this unprecedented 5-week period to the underlying etiology of acute appendicitis. Variation in case volumes and presentation may be because of a wide host of reasons, as Hassoun and colleagues enumerate. In normal times, parents of children with abdominal pain may variously choose to present to their pediatrician, urgent care centers, and emergency departments of local and referral hospitals, to say nothing of the expansion of virtual visits during the pandemic. The factors at play for

each individual family in deciding how, when, and where to seek medical care for an ill child are complex. A more comprehensive study of patients presenting with acute appendicitis, including all hospitals within a large catchment region, would be useful to help tease out whether total cases of appendicitis and rates of perforation were different during the pandemic.

Charlotte L Kvasnovsky  
Cohen Children's Medical Center, Division of Pediatric Surgery, 269-01 76th  
Avenue, New Hyde Park 11040, United States  
Tel.: +1 443 6902866  
E-mail address: [ckvasnovsky@smail.umaryland.edu](mailto:ckvasnovsky@smail.umaryland.edu).

<https://doi.org/10.1016/j.jpedsurg.2020.10.010>

### References

- [1] Hassoun A, Kadenhe-Chiweshe A, Sharma M. New York's COVID-19 shelter-in-place and acute appendicitis in children. *J Pediatr Surg.* 2020;S0022-3468(20):30611-4.
- [2] Kvasnovsky CL, Shi Y, Rich BS, et al. Limiting hospital resources for acute appendicitis in children: lessons learned from the U.S. epicenter of the COVID-19 pandemic. *J Pediatr Surg.* 2020;S0022-3468(20):30444-9.